

**EAST Search History****EAST Search History (Prior Art)**

<b>Ref #</b>	<b>Hits</b>	<b>Search Query</b>	<b>DBs</b>	<b>Default Operator</b>	<b>Plurals</b>	<b>Time Stamp</b>
S195	58	farin.in.	US-PGPUB; USPAT	OR	OFF	2010/06/10 13:39
S196	7	S195 and electrosurgical and gas	US-PGPUB; USPAT	OR	OFF	2010/06/10 13:39
S193	3972453	@ad< "20020904"	US-PGPUB; USPAT	OR	OFF	2010/06/10 13:27
S194	100	S193 and S192	US-PGPUB; USPAT	OR	OFF	2010/06/10 13:27
S191	226	S185 S186 S187 S188 S189	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 13:26
S192	191	S191 and S190	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 13:26
S190	1858520	(seal sealing oring o-ring gasket leak leakage)	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 13:25
S183	149	606/43,44.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/10 13:23
S184	757	606/32.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/10 13:23
S185	0	S176 and S180	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 13:23
S186	59	S176 and S181	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 13:23
S187	204	S176 and S182	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 13:23
S188	1	S176 and S183	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 13:23
S189	70	S176 and S184	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 13:23
S180	2021	606/1.ccls.	US-PGPUB; USPAT	OR	OFF	2010/06/10 13:22
S181	1221	606/45.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/10 13:22

S182	4071	606/41.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/10 13:22
S179	9	((cover uncover slidable longitudinally axially expose exposing) and electrode and (gas and current) and (electrosurgical) and (cut cutting ablation ablate ablating)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 12:52
S178	4021999	(cover uncover slidable longitudinally axially expose exposing)	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 12:51
S176	285	S175 and S173 and S172	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 12:50
S177	4986	(electrosurgical) and (cutting ablation ablating)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/10 12:50
S174	929804	(electrode)	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 12:49
S175	212140	(cover uncover slidable longitudinally axially expose exposing) same S174	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/10 12:49
S172	3601	(electrosurgical) same (cutting ablation ablating)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/10 12:48
S173	200627	(gas same current)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/10 12:48

**EAST Search History (Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S199	2	((cover uncover slidable longitudinally axially expose exposing) and electrode and (gas and current) and (electrosurgical) and (cut cutting ablation ablate ablating) and (leak leakage)).clm.	USPAT; UPAD	OR	ON	2010/06/10 13:02

S198	0	((cover uncover slidable longitudinally axially expose exposing) and electrode and (gas and current) and (electrosurgical) and (cut cutting ablation ablate ablating) and (seal sealing oring (o-ring))).clm.	USPAT; UPAD	OR	ON	2010/06/10 12:53
S197	3	((cover uncover slidable longitudinally axially expose exposing) and electrode and (gas and current) and (electrosurgical) and (cut cutting ablation ablate ablating)).clm.	USPAT; UPAD	OR	ON	2010/06/10 12:52

**6/ 10/ 2010 3:22:40 PM**

**C:\ Documents and Settings\ vchen2\ My Documents\ EAST\ Workspaces\ Searches\ 10525802  
applicator for an electrosurgical instrument.wsp**